



Sollatek Electronics (Kenya) Limited

RETAIL PRICE LIST,EFFECTIVE 14th NOVEMBER 2011(IN KSHS)

P.O. BOX 34246, MOMBASA, 80118

FAX: (020) 3501673

TELKOM WIRELESS: (020)3501671/2

MOBILE : 0733 610753/615727, 0722 764643,0725 546865

E-mail: sales @sollatek.co.ke

Website : www.sollatek.co.ke

SINGLE PHASE AUTOMATIC VOLTAGE SWITCHERS

Product	Retail	Protection	Rating	Description
Fridgeguard 16% VAT	2,990.00 478.40 3,468.40	u/v	5A	Protects fridges, freezers, & bottlecoolers from low voltage. Cuts off at 185V and re-connects 180 seconds after resumption of good power.
Hivoltguard 16% VAT	2,950.00 472.00 3,422.00	o/v, sp	5A	Protects electronic products, including TV, video, fax, PABX, hi-fi etc., from high voltage and spikes. Cuts power at 260V and reconnects 10 - 15sec. after resumption of good power. The short time delay avoids inconvenience while watching TV
Tv guard 16% VAT	2,950.00 472.00 3,422.00	o/v, sp	5A	NEW. Ideal protection for your TV,LCD/Plasma screens and other expensive electronic equipment. Protects against high voltages,brown-outs & voltage dips.
Lightning guard 16% VAT	3,300.00 528.00 3,828.00	o/v, sp on both AC & DC lines	5A	Protects telephones, modems, fax machines and other telecoms equipment from lightning, surges and spikes on both the telephone and power lines. Similar in specs with the Faxguard.
Voltguard 16% VAT	3,550.00 568.00 4,118.00	u/v, o/v, sp	5A	A 5amp version of the AVS13 in an adaptor box with high and low voltage protection which reconnects 30 seconds after good power returns. Ideal for a single appliance which contains both electronics and a motor.
Freoguard 16 16% VAT	2,300.00 368.00 2,668.00	u/v, o/v, sp	16A	Industrial product with no socket. Protects A/C's up to 12,000 BTU, fridge/freezers, bottlecoolers, motors & pumps from low & high voltage and spikes. Cuts power at 185 & 260V & reconnects 3 minutes after good power returns. Water & tamper proof. (Formerly VDS 16P)
Freoguard 30 16% VAT	2,550.00 408.00 2,958.00	u/v, o/v, sp	30A	An industrial product with no socket. Protects air-conditioners up to 30Amps from low and high voltage & spikes. Cuts power at 185 & 260V and reconnects 3 minutes after good power returns. (Formerly VDS 30).
AVS13 16% VAT	4,475.00 716.00 5,191.00	u/v, o/v, sp	13A	A multi purpose unit, which protects all products against low & high voltage and spikes. Cuts power at 185 & 260V model with 5 LED'S and adjustable time delay plus on/off switch.

AVS15 16% VAT	4,650.00 744.00 5,394.00	u/v, o/v, sp	15A	Protects air-conditioners and washing machines from low & high voltage. Cuts off at 185 & 260V with 5 led's and adjustable time delay plus on/off switch. Also useful for load shedding non essential loads such as water heaters
AVS30 16% VAT	5,975.00 956.00 6,931.00	u/v, o/v, sp	30A	No socket. Protects large air-conditioners or machinery against low & high voltage and spikes. <u>NOW WITH ADJUSTABLE, BLIND SPOT, VOLTAGE LIMITS AND TIME DELAY.</u>
AVS100 16% VAT	39,600.00 6,336.00 45,936.00	u/v, o/v, sp	100A	No socket. Industrial product designed to protect large machines or complete electrical circuits against low and high voltage and spikes. Cuts off at 185 and 260V and you can choose the delay you require before good power returns.
AVS3P-0 16% VAT	18,400.00 2,944.00 21,344.00	u/v, o/v, sp	N/A	3 phase with No contactor. <u>DELAYS, BLIND SPOTS AND VOLTAGE LIMITS ADJUSTABLE.</u> Protects any three phase equipment which has a contactor. Optional phase rotation error detection. UNITS WITH CONTACTORS MADE TO ORDER.
AVS303-72 16% VAT	68,250.00 10,920.00 79,170.00	u/v,o/v,sp	72A	NEW.Protects against over voltage & under voltage on any one of the 3 phases as well as loss of one or more phases.Fully automated with no moving parts,the Avs303 incorporates a 72A contactor to switch the full load current(see the Avs 3P-0 if you already have switching mechanism in place).Also provides protection against power-back surges and for any two phases shorting together.
AVS303-110 16% VAT	78,850.00 12,616.00 91,466.00	u/v,o/p,sp	110A	NEW. As above but with 100A contactor
AC GUARD - 20 16% VAT	3,350.00 536.00 3,886.00	u/v, o/v, sp	20A	NEW. The Ultimate protection for your air conditioner against low voltage & brownouts, high voltage, spikes & surges. Features intelligent time delay & circuit breaker.

AUTOMATIC VOLTAGE REGULATORS (AVR) - Single Phase.

The Sollatek Automatic Regulators (AVR) are microprocessor controlled, highly efficient, & very quick to respond to mains fluctuations (in less than one cycle). They give an extremely accurate output. They give a high degree of protection because of their very rapid response to mains fluctuations (in less than 20 milliseconds). The unit will stabilize the output to +/- 4% of 230V when the input voltage is as low as 165V and as high as 295V, thus providing a 54% correction range which makes the Sollatek AVR Range ideal for use with all sensitive electronic & electrical appliances. All units incorporate overload protection.

Product	Retail	Protection	Rating VA / Current @ 240V
AVR500 16% VAT	12,900.00 2,064.00 14,964.00	u/v, o/v, sp	0.5 kVA / 2 amps. When used with a Hivolt Guard on the output of the AVR, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR1200 16% VAT	38,450.00 6,152.00 44,602.00	u/v, o/v, sp	1.2 kVA / 5 amps. When used with a Hivolt Guard or AVS13 on the output, this unit will give the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR2500 16% VAT	55,300.00 8,848.00 64,148.00	u/v, o/v, sp	2.5 kVA / 10 amps. When used with an AVS13 on the output, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR5000 16% VAT	149,750.00 23,960.00 173,710.00	u/v, o/v, sp	4.6 kVA / 20 amps. When used with an AVS30 on the output, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR7500 16% VAT	172,150.00 27,544.00 199,694.00	u/v, o/v, sp	6.9 kVA / 30 amps. When used with an AVS30 on the output, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR10K 16% VAT	233,500.00 37,360.00 270,860.00	u/v, o/v, sp	9.2 kVA / 40amps. When used with an AVS100 on the output, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR12K 16% VAT	376,500.00 60,240.00 436,740.00	u/v, o/v, sp	11.5 kVA / 50amps. When used with an AVS100 on the output, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR18K 16% VAT	422,000.00 75,960.00 497,960.00	u/v, o/v, sp	17.2 kVA / 80amps. When used with an AVS100 on the output, this unit provides the ultimate protection for delicate electronic equipment in areas of persistent high, low or fluctuating voltage.
AVR24K 16% VAT	618,000.00 98,880.00 716,880.00	u/v, o/v, sp	23 kVA / 105amps

AUTOMATIC VOLTAGE REGULATORS (AVR) - Three Phase

The Three Phase Sollatek AVR's operate on the same lines as the single phase units by monitoring the voltage on each individual phase. They are all microprocessor controlled solid state units with a 20 milliseconds response time and give an output of + - 4%. An AVS function can be added to the AVR which will ensure a delay of your choice before the AVR can restart after power cuts and only reconnects power to the load when the input voltage is within the AVR's range.

The AVR 3x25 is fully loaded with all extras. All other sizes come only with current meters and voltage meters with all other extras being optional and chargeable. The prices below are up to 3 x 100 kVA. Prices of larger units up to 1000kVA are available on request

Product	Price	Protection	KVA Rating	AMPS per Phase	Weight In Kgs	Optional Extra For all 3 Phase AVR's available upon request.
AVR3x30 16% VAT	418,250.00 66,920.00 485,170.00	u/v, o/v, sp	20.7	30	135	1. AVS Function 2. DSP Function (for protection against lightning) 3. Circuit Breaker option(recommended to be used) 4. Manual Bypass option(recommended to be used)
AVR3x50 16% VAT	718,250.00 114,920.00 833,170.00	u/v, o/v, sp	36	50	225	
AVR3x75 16% VAT	939,000.00 150,240.00 1,089,240.00	u/v, o/v, sp	54	75	300	
AVR3x100 16% VAT	1,412,500.00 226,000.00 1,638,500.00	u/v, o/v, sp	72	100	425	

SOLLATEK VOLTAGE STABILISERS (SVS) - Single Phase.

The Sollatek Voltage Stabilisers (SVS) are microprocessor controlled relay based stabilisers that can boost the incoming voltage when it is low & reduce it when it is too high. The output will be corrected by +/- 25%. E.g. if the input voltage is 180V or rises to 270V then the output will be 240V so your equipment will operate normally. The SVS is ideal for use on all electrical appliances especially refrigerators, coolers, freezers, & air conditioners and all home and office appliances. A change in the delay times of the AVS function can be done on request and for a nominal extra charge. **Now with new feature enabling total genset compatibility for the 2A and 4A models.**

Product	Retail	Protection	WATT / Current @ 240V
SVS500 16% VAT	6,850.00 1,096.00 7,946.00	u/v, o/v, sp	500W / 2 Amp. Ideal for T.V., video & computers. Incorporates AVS function on the output with a 10 sec delay to provide complete protection with minimum inconvenience.
SVS1000 16% VAT	8,800.00 1,408.00 10,208.00	U/v, o/v, sp	1000W / 4 Amps. As above, but can also be used on one fridge or freezer Delay is 1 min to allow time for decompression of compressors in fridges and freezers..
SVS1000 DUAL OUTPUT 16% VAT	15,550.00 2,488.00 18,038.00	u/v, o/v, sp	1000W @ 230V or 500W at 115V. As above but can also operate appliances of 115V input.
SVS2000 16% VAT	14,650.00 2,344.00 16,994.00	U/v, o/v, sp	1920W / 8 Amps. Now with AVS function to provide extra protection to appliances.
SVS3500 16% VAT	20,800.00 3,328.00 24,128.00	U/v, o/v, sp	3500W / 15 Amps. Same as for SVS2000.
SVS5000 16% VAT	24,000.00 3,840.00 27,840.00	U/v, o/v, sp	5000W / 20 Amps. Same as for SVS2000.
SVS12000 16% VAT	96,500.00 15,440.00 111,940.00	U/v, o/v, sp	12000W / 50 Amps. The 'Home Stabiliser' . Ideal to provide stable power for an entire office or house. Contact us if more protection required.
SVS18000 16% VAT	118,950.00 19,032.00 137,982.00	u/v, o/v, sp	18000W / 75 Amps. The 'Home Stabiliser.' Ideal to provide stable power for a whole office or house. Contact us if more protection required.

POWER SUPPRESSORS

Product	Retail	Rating	Description
SPIKEGUARD 16% VAT	1,550.00 248.00 1,798.00	13A	Protects any equipment rated upto 13amps for instance computers, office equipment, domestic appliances, printers, fax machines, laptops, HiFis from mains surges and spikes. Easy to fit, small, safe and maintenance free.
COMMSGUARD 16% VAT	1,150.00 184.00 1,334.00	5A	An improved version of the lineguard, which avoids having a separate earth connection. Mounted in a “guard” type adaptor box it fits into a standard 13 amps socket. The easy solution to protect telephones & modems from LIGHTNING strikes.
MULTI GUARD - 1 16% VAT	2,750.00 440.00 3,190.00	13A	13 Amp multiway socket (4 sockets) with spike protection. Comes in a blister pack.
MULTI GUARD –X 16% VAT	1800.00 288.00 2088.00	13 A	NEW . As above but a smaller unit with shorter cable.
MULTI GUARD MGX6 16% VAT	2,450.00 392.00 2,842.00	13 A	NEW . As above, but a 6 way 13Amp protection strip. Ideal for all electronic appliances & especially useful for home use. AVAILABLE FROM JULY 2010.
DSP1P-0 16% VAT	13,150.00 2,104.00 15,254.00	Comprehensive Spike & Lightning Protection	Distribution Surge Protector (DSP) single phase. Connected at the point of entry distribution panel, the DSP protects against surges ,spikes, LIGHTNING and transient over voltages conducted through the power distribution boards .
DSP3P-0 16% VAT	18,350.00 2,936.00 21,286.00	Comprehensive Spike & Lightning Protection	Distribution Surge Protector (DSP) three phase. Connected at the point of entry distribution panel, the DSP protects against surges ,spikes, LIGHTNING and transient over voltages conducted through the power distribution boards

UPS

Product	Retail	Rating	Description
ULTIMA UPS 600	9,950.00	600VA	Microprocessor controlled Line Interactive UPS. Fully automatic voltage stabilizer, 15 minutes backup at 200VA, 8hours to recharge to 90% after full discharge, short circuit and overload protection. 6 MONTHS WARRANTY ON BATTERIES.
ULTIMA UPS 800	13,450.00	800VA	Microprocessor controlled Line Interactive UPS. Fully automatic voltage stabiliser, 22 minutes backup at 200VA, 8 hours to recharge to 90% after full discharge., short circuit and overload protection. 6 MONTHS WARRANTY ON BATTERIES.
ULTIMA UPS 1000	18,850.00	1000VA	Microprocessor controlled Line Interactive UPS. Fully automatic voltage stabiliser,45 minutes backup at 200VA, 6 hours to recharge to 90% after full discharge, short circuit and overload protection. 6 MONTHS WARRANTY ON BATTERIES.
ULTIMA UPS 1400	28,600.00	1400VA	Microprocessor controlled Line Interactive UPS.Fully automatic voltage stabilizer, 58 minutes backup at 200VA, 6 hours to recharge to 90% after full discharge,short circuit and overload protection. 6 MONTHS WARRANTY ON BATTERIES.
ULTIMA UPS 2000	38,650.00	2000VA	Microprocessor controlled Line Interactive UPS..Fully automatic voltage stabilizer,58 minutes backup at 200VA, 6 hours to recharge to 90% after full discharge ,short circuit and overload protection. 6 MONTHS WARRANTY ON BATTERIES.

POWERBACK

Product	Retail	Rating	Description
SOLLATEK POWERBACK INVERTER PB5000	96,500.00	5KVA	<u>NEW.</u> Single phase inverter with inbuilt battery.Highly efficient pure sinewave unit.Line interactive with faster transfer time and intelligent charging to reduce recharge time. Incorporates overload, short circuit and high temperature protection. Suitable for all types of appliances(including heavy duty Air conditioners),electrical and electronic equipment. Compact in size and incorporates comprehensive LCD display.

SOLAR PANELS

Product	Retail	Description
6 WATT SHURJO PANEL	2,800.00	The latest in thin film solar technology. .Made of Copper Indium Gallium diSelenide (CIGS), a crystalline material, these panels provide consistent power and do not degrade when exposed to sunlight-unlike amorphous panels. Also unlike traditional crystalline panels, the CIGS panels yield more energy per KW installed due to better performance in low light. Made of toughened glass, with a three layer Tedlar® backing, this is a robust light weight solar module. Recommended for use with the Glowstar 5W and comes with a 10 YEAR WARRANTY.
15 WATT SHURJO PANEL	5,100.00	Characteristics as above. 20 YEAR WARRANTY.
30 WATT SHURJO PANEL	11,000.00	Characteristics as above. 20 YEAR WARRANTY.
64 WATT SHURJO PANEL	21,450.00	Characteristics as above. 20 YEAR WARRANTY.
100 WATT SHURJO PANEL	31,900.00	Characteristics as above. 20 YEAR WARRANTY.

SOLAR LANTERNS & ACCESSORIES

Product	Retail	Description
NOVA S200	4,150.00	NEW. A sturdy lantern providing high-quality light while doubling as a mobile phone charger. Provides 12 hours of bright light on a day's charge and can recharge a mobile phone in as little as 2 hours. Has several different brightness settings which last for different lengths of time. Includes an efficient, portable solar panel with a lengthy outdoor cable for convenient solar charging. 1 YEAR WARRANTY. (Except on battery)
SOLATA S380	1,150.00	NEW. A task light ideal for doing homework on a desk. Extremely light & portable providing up to 15 hours of light on full charge using LED'S. Its flexible gooseneck provides the user with a 360 degree option of directing the light. With a base which provides stability & a keyhole to hang the lantern from a wall hook. Includes an efficient, portable solar panel with a lengthy outdoor cable for convenient solar charging. 1 YEAR WARRANTY. (Except on battery)
KIRAN S10	1,450.00	NEW. Very low cost area light. Provides 8 hours of light on full battery and incorporates an integrated solar panel to make recharging as easy as possible. Has a unique shape and multiple setting handle which allows it to be carried, hung from the wall or ceiling or placed on any surface to effectively illuminate the surroundings. 1 YEAR WARRANTY. (Except on battery)
S1	1,150.00	NEW. All purpose, high brightness solar LED light. Provides 4 hours of light on a full day's charge. Provides focused lighting ideal for studying or working. Can be fully charged in one day with the integrated solar panel, or it can be charged in a few hours through AC using any standard 2mm Nokia mobile charger. 1 YEAR WARRANTY. (Except on battery)
AC CHARGER FOR GLOWSTAR 16% VAT	2,150.00 344.00 2,494.00	The mains charger will connect to a normal wall socket and run from AC mains. It can work from 85V to 265V AC. The mains charger will charge Glowstar Plus in 6 hours and Glowstar basic in 4 hours. There is no harm in leaving the mains charger permanently connected because the Glowstar charge circuit will control the charge and protect the battery from overcharge.
SOLAR STAR MOBILE PHONE CHARGER	2,450.00	NEW. A revolutionary product for people on the move. Multi-purpose, can charge mobile phones, MP3/4 players & digital cameras. It can also serve as a bright LED Torch.

SOLAR CHARGE CONTROLLERS

Product	Retail	Description
SUNPOWER 6 NO VAT	2,700.00	Solar panel charge controller for panel arrays of up to 64W & loads up to 6 Amps DC. Microprocessor controlled mosfet based unit with 5 LED'S. Very low power consumption and PWM charging. Ideal for small lighting systems.
SUNPOWER10 (10A/12V) NO VAT	3,500.00	NEW.As above , but for panel arrays & loads upto Amps DC.Latest addition to the Sunpower range.
SPCC10 (12V& 24VDC) NO VAT (10 AMPS)	5,600.00	Solar Panel Charge Controller for arrays & loads up to 10Amps. A high efficiency low cost unit ideal for small lighting systems which may require to be expanded at a future date. Adjustable voltage limits & four LED's for clear status indication.
SPCC10E (12/ 24V DC) NO VAT (10 AMPS)	7,500.00	As above but with additional features eg., has a timer facility which makes it ideal for use in Solar systems for outdoor lighting. Current consumption is about 25% of the normal SPCC10. All "E" models have temperature compensation built in and are field selectable for 12 or 24V operation.
SPCC16E (12 / 24V DC) NO VAT (16 AMPS)	7,650.00	Charge Controller for arrays & loads of up to 16 Amps DC. A very efficient unit that offers high specifications, reliability and quality at a competitive price. Adjustable voltage limits & five LED's for clear status indication. This is the best charge controller in the market.
SUNPOWER 30 (12 / 24V DC) NO VAT (30 AMPS)	10,850.00	As above but for arrays & Loads of upto 30amps. A high efficiency low cost unit ideal for larger systems. SPECIFY 12 OR 24V MODEL WHEN ORDERING.
SUNPOWER 30+LCD (12/ 24VDC) NO VAT (30 AMPS)	14,400.00	NEW. A 30 Amps Sollatek charge controller now with three digits display that continuously indicates your battery voltage.

SOLAR BATTERIES AND INVERTERS

Product	Retail	Description
30AH SOLAR BATTERY	4,600.00	12V Wet lead acid batteries suitable for Solar and Power backup systems.Price exclusive of Acid.Fills up with 4 litres of Acid.
50 AH SOLAR BATTERY	5,750.00	As above.Fills up with 5 litres of Acid.
75AH SOLAR BATTERY	8,000.00	As above.Fills up with 8 litres of Acid.
100AH SOLAR BATTERY	11,200.00	As above.Fills up with 10 litres of Acid.
200AH SOLAR BATTERY	28,700.00	As above.Fills up with 15 litres of Acid.
1 LITRE ACID	56.00	
16% VAT	8.96	
	64.96	
150W INVERTER	4,700.00	Non transformer based single phase inverter without inbuilt battery charger. Can power singular loads like energy saving lights or radio or mobile phone charger in Solar electric systems.
300W INVERTER	5,850.00	As above
500W INVERTER	9,800.00	Non transformer based single phase inverter without inbuilt battery charger.Can power singular loads like 14 inch TV, energy saving lights,radio or mobile phone charger in Solar electric systems.
600VA INVERTER	21,200.00	Transformer based single phase inverter with inbuilt battery charger.Can power combined diverse loads like TV,DVD and lights as well as other electrical and electronic appliances in Power backup or Solar electric systems.
800VA INVERTER	22,950.00	As above
1.4 KVA INVERTER	29,600.00	As above
2.5KVA INVERTER	80,100.00	As above

DC SOLAR LIGHTS AND DC ELECTRICAL FITTINGS

Product	Retail	Description
DC ECOLITE (12 V) NO VAT (8 WATT)	1,100.00	High quality low cost light. Designed for the no frills, lower cost market where reliability is still of critical importance. Efficient light using a low cost linear fluorescent tube. No RFI interference. Short circuit and reverse polarity protection.
DC ECOLITE (12 V) NO VAT (18 WATT)	2,850.00	As above but with 18 Watt linear tube but 12V DC operation.
DC ECOLITE (24 V) NO VAT (18 WATT)	3,050.00	As above but in 24V DC.
DC LUMINA LIGHT (12V) NO VAT (7,9,11WATT)	3,100.00	Very reliable giving more light from a PL bulb and consuming less power than any other light in the market. High quality finish in a tough housing designed to prevent intrusion by dust and insects. This is the next generation of solar lights.
DC LUMINA LIGHT (24V) NO VAT (7,9,11WATT)	3,300.00	As above, but 24V DC operation.
DC LUMINA LIGHT (12V) NO VAT (18WATT)	4,150.00	As above, but with 18Watt PL bulb.
DC LUMINA LIGHT (24V) NO VAT (18WATT)	3,850.00	As above, but with 24 DC operation.

SPARE BULBS FOR SOLAR LIGHTS

Product	Retail	Description
8 WATT ECOLITE TUBE 16% VAT	250.00 40.00 290.00	FOR ECOLITES
7/9/11 WATT PL BULBS 16% VAT	500.00 80.00 580.00	FOR LUMINA LIGHTS
18WATT ECOLITE TUBE 16% VAT	350.00 56.00 406.00	FOR ECOLITES
18 WATT PL BULB 16% VAT	650.00 104.00 754.00	FOR LUMINA LIGHTS/STREET LIGHTS (PL MODEL)
18WATT PLC BULB 16% VAT	550.00 88.00 638.00	FOR OUTLITES

IMPORTANT NOTES.

1. Always use 'deep cycle' batteries (e.g. solar & NOT car batteries) in solar installations.
2. Always protect batteries with a Sollatek charge controller.
3. No Warranty on bulbs.

STANDARD TERMS AND CONDITIONS OF SALE TO AUTHORISED DISTRIBUTORS

GLOSSARY

U/V - UNDER VOLTAGE : Disconnects mains power in half a second.

0/V - OVER VOLTAGE : Disconnects mains power within twenty milliseconds (less than one cycle).

SP - SPIKE PROTECTION : Rated at 320V with energy of 160 Joules (minimum).

RFI - RADIO FREQUENCY INTERFERENCE FILTER.

DELIVERY

PRICES INCLUDE FREE DELIVERY AND INSURANCE. (EXCEPT FOR 3 PHASE AVR's)

GUARANTEE

- **ALL SOLLATEK PRODUCTS CARRY A FIVE YEAR GUARANTEE ON PARTS AND LABOUR.EXCEPT WHERE EXPRESSLY SPECIFIED OTHERWISE**
- **WE GUARANTEE SPARE PARTS AND SERVICE SUPPORT AVAILABLE ON ALL PRODUCTS.**
- **GUARANTEE IS INVALIDATED IF THE PRODUCT HAS BEEN OPENED OR TAMPERED WITH BY THE CUSTOMER.**
- **FREE COURIER SERVICE FOR CHEQUES AND RETURN OF GOODS AFTER REPAIR.**

PAYMENT TERMS

1. MINIMUM ORDER KSH 50,000/-

2. THIRTY DAYS CREDIT IS AVAILABLE ON APPLICATION AT OUR DISCRETION.

3. TWO PERCENT PER MONTH WILL BE CHARGED ON ALL OVERDUE ACCOUNTS.